

WIRELESS ASSET MONITORING

WAM

**— ENSURE —
YOUR PRODUCTS
ARE PROTECTED
— 24/7! —**



PERFECT FOR:

- Freezers
- Coolers
- Reach-in Cases
- Islands
- Serving Trays
- Cold Storage
- Frozen Storage
- Door Status
- Refrigerated Semi Trailers
- Wine Cellars
- Outside Air
- ...and Much, Much More



Avoid costly losses from power outages or equipment failure with 24/7 asset monitoring from BAPI.

WAM - WIRELESS ASSET MONITORING


HOW WAM WORKS

BAPI's Wireless Asset Monitoring (WAM) system provides peace of mind that your assets are safe and lets you avoid costly losses from power outages or equipment failure.

The system is as simple as 1-2-3.

- **ONE** - the wireless sensors send their readings via Bluetooth low energy to the gateway.
- **TWO** - the gateway uploads the data to the cloud.
- **THREE** - the data is accessed from the cloud via any web-enabled device.


Alerts can be added to warn you when the readings go above or below the custom thresholds so you can address potential problems quickly.



WAM WEBSITE

The versatile WAM Website has everything you need to ensure your products are safe.

- Access with any web-enabled device.
- Live readings from all sensors or selected sensors.
- Historical trending.
- Customizable alerts with email or SMS notifications when readings are outside of the desired thresholds.
- Visual indication when sensors are in an alert status.
- Easy pdf reports with trend graph and "points of interest" call outs.
- Simple adjustment of sensor properties such as the transmit interval and sample interval.
- Historical record of all alarms and corrective actions.



FOOD PROBE TEMPERATURE SENSORS

The food probes eliminate the need for an employee to hand record the temperatures with a thermometer for food safety reports. Bin clips are available to fit most food bins. The probe is designed for dishwasher or hand washing.

The unit is NSF certified with food and dishwasher safe materials. Because the probes are sealed and water tight, there are many additional applications besides food.




BAPI-STAT "QUANTUM SLIM" WITH THERMOBUFFER



These sensors are perfect for refrigerators, freezers, reach-in cases or islands. They feature a stainless steel thermobuffer chamber which can be filled with food-safe glycol to track the temperature of the contents rather than the air temperature.

The cable fits between the door seal without affecting appliance efficiency.


They are also available with a door switch magnet to monitor the status of doors.



BAPI-BOX & ROOM SENSORS

Sensors are also available with a rugged IP66-rated BAPI-Box enclosure. These provide more protection than the "Quantum Slim" units and can be used in rough service areas, hallways or outside the building.


A sleek and modern BAPI-Stat "Quantum" is also available for rooms and open spaces.



ONBOARD MEMORY

Each sensor retains up to 16,000 readings should the communication become interrupted. The data is re-transmitted once communication is re-established.

WAM WIRELESS ASSET MONITORING



Building Automation Products, Inc.
750 North Royal Ave.
Gays Mills, WI 54631

phone +1-608-735-4800
email sales@bapihvac.com
website www.bapihvac.com



Visit our website